

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
27	19	8					X= Y=		



P.K. NAIL 1' up ON
EAST SIDE OF R.R.

51.84

S.R. 276 (53rd St.)


48.13

P.K. NAIL 1' up ON
N.W. SIDE OF R.R.

BRASS PIN IN
CONCRETE

DESCRIPTION OF MONUMENT
BRASS PIN SET IN CONCRETE
1/2" BELOW SURFACE OF ROAD

Tied by: RW/MC Date: 9-6-02
 Drawn by: RW Date: 9-9-02
 Checked by: _____ Date: _____



Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
27	19N	8E					X= Y=		



NORTH

SCALE 1" = 40'



SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____

Drawn by: J. S. _____ Date: 9-24-93

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
27	19	8					X=	Y=	



P.K. Nail 1' up on
East Side of P.P.

Brass Pin in
Concrete

57.80'

DESCRIPTION OF MONUMENT
BRASS PIN IN CONCRETE
FLUSH W/ ASPHALT ROAD

Tied by: RW/TYC Date: 9/9/02
 Drawn by: RW Date: 9/9/02
 Checked by: _____ Date: _____

S.R. 236 (S3rd St.)

P.K. Nail 1' up
on N.W. side
of P.P.


55.52'

63.45'

P.K. Nail 1' up on
East side of P.P.

48.52'

P.K. Nail 1' up on
S.W. side of P.P.



300 EAST

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
27	19N	8E					X=	Y=	

PK No. 1 up 1.5' on the East Side of Power Pole

PK No. 1 up 1.5' on the West Side of Support pole

PK No. 1 up 1.5' on the West Side of Combination pole

PK No. 1 up 2' on the East Side of Power Pole

NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: BAD:CG Date: 5/12/95

Drawn by: BAD Date: 8/15/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
27	19N	8E					X= Y=		

PK Nail up 1.5' on the East Side of lower pole



51.61'

County Road 300 South

County Road 380 East

49.98'

PK Nail up 1' on the Northwest side of lower pole



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: BAN:CG Date: 5/12/95

Drawn by: BAN Date: 8/15/95

Checked by: ___ Date: ___

DESCRIPTION OF MONUMENT

Bass Nail in concrete 1" below surface of asphalt road



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
27	19N	8E				Northings	X= 1753348.52 Y= Easting 342661.14		



NORTH

SCALE 1" = 40'



SHEET ___ OF ___ SHEETS

Tied by: Schneider Eng. Date: Dec. 4/13/93

Drawn by: BAW Date: 8/21/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
27	19N	8E	5	138			X= Y=		

