

SEC. 1, TWP 19, R.6 E.

✓  
CAST  
OVER  
STONE

✓  
CAST  
OVER  
STONE

✓  
CAST. OVER  
STONE

✓  
CAST OVER  
STONE

FILED (considered)  
FILED OVER  
STONE CAST OVER  
STONE  
2 marked

# COUNTY SURVEYOR'S - SECTION CORNER TIES

| SECTION | TOWNSHIP | RANGE | BOOK | PAGE | ELEVATION | UC ZONE | STATE PLANE COORD | LATITUDE | LONGITUDE |
|---------|----------|-------|------|------|-----------|---------|-------------------|----------|-----------|
| 1       | 19N      | 6E    | 12   | 16B  |           |         | X=                | Y=       |           |



At Nail in top of 10"x10" wood post

County Road 600 West


County Road 100 North

Tied by: LP: BAN Date: 8/31/95  
 Drawn by: BAN Date: 10/25/95  
 Checked by: \_\_\_\_\_ Date: \_\_\_\_\_

## DESCRIPTION OF MONUMENT

RR Spike in concrete flush with surface of asphalt Road

At Nail 15' on the North side of Combination Pole  
 74.12'  
 At Nail 15' on the North side of abandoned telephone pole  
 28.59'  
 At Nail 1' on the Northwest corner of combination pole  
 42.18'



Approved: \_\_\_\_\_ Date: \_\_\_\_\_  
 COUNTY SURVEYOR


# COUNTY SURVEYOR'S - SECTION CORNER TIES

| SECTION | TOWNSHIP | RANGE | BOOK | PAGE | ELEVATION | UC ZONE | STATE PLANE COORD | LATITUDE | LONGITUDE |
|---------|----------|-------|------|------|-----------|---------|-------------------|----------|-----------|
| 1       | 19N      | 6E    | 13   | 1A   |           |         | X= Y=             |          |           |



Mk. 1 up 1.5' on the Southwest corner of 6" x 6" wood corner post


Mk. 1 up 1.5' on the Southeast side of combination pole



Tied by: LP: BAN Date: 9/11/95  
 Drawn by: BAN Date: 10/30/95  
 Checked by: \_\_\_\_\_ Date: \_\_\_\_\_

## DESCRIPTION OF MONUMENT

Chiseled "X" in stone 1' below road  
 Casting flush with surface of asphalt Road



MARKER LOCATION

Approved: \_\_\_\_\_ Date: \_\_\_\_\_  
 COUNTY SURVEYOR

# COUNTY SURVEYOR'S - SECTION CORNER TIES



| SECTION | TOWNSHIP | RANGE | BOOK | PAGE | ELEVATION | UC ZONE STATE PLANE COORD |    | LATITUDE | LONGITUDE |
|---------|----------|-------|------|------|-----------|---------------------------|----|----------|-----------|
| 1       | 19N      | 6E    | 15   | 26   |           | X=                        | Y= |          |           |



Tied by: LP & N. Date: 11-21-96  
 Drawn by: LP Date: 7-8-97  
 Checked by: \_\_\_\_\_ Date: \_\_\_\_\_

## DESCRIPTION OF MONUMENT

Rail Road Spike flush with asphalt



MARKER LOCATION

Approved: \_\_\_\_\_ Date: \_\_\_\_\_  
 COUNTY SURVEYOR

# COUNTY SURVEYOR'S - SECTION CORNER TIES

| SECTION | TOWNSHIP | RANGE | BOOK | PAGE | ELEVATION | UC ZONE | STATE PLANE COORD | LATITUDE | LONGITUDE |
|---------|----------|-------|------|------|-----------|---------|-------------------|----------|-----------|
| 1       | 19       | 6     |      |      |           |         | X= Y=             |          |           |



P.K. Nail 1' up on West Side of T.P.

1/2" Rebar

8th St. Rd.


DESCRIPTION OF MONUMENT

1/2" Rebar, 1/2" Below

Surface of Asphalt Road.

P.K. Nail 1' up on East Side of 6x8 Post.

P.K. Nail 1' up on West Side of T.P.



MARKER LOCATION

Approved: \_\_\_\_\_

Date: \_\_\_\_\_

COUNTY SURVEYOR

# COUNTY SURVEYOR'S - SECTION CORNER TIES

| SECTION | TOWNSHIP | RANGE | BOOK | PAGE | ELEVATION | UC ZONE | STATE PLANE COORD | LATITUDE | LONGITUDE |
|---------|----------|-------|------|------|-----------|---------|-------------------|----------|-----------|
| 1       | 19N      | 6E    | 13   | 2A   |           |         | X=<br>Y=          |          |           |





Checked "up" 1' on the East side  
of 18"x18" concrete corner post

Tied by: LP: BAN Date: 9/11/95  
 Drawn by: BAN Date: 10/30/95  
 Checked by: \_\_\_\_\_ Date: \_\_\_\_\_

## DESCRIPTION OF MONUMENT

High point in stone .3' below casting  
.05' below surface of asphalt road




Approved: \_\_\_\_\_ Date: \_\_\_\_\_  
 COUNTY SURVEYOR

# COUNTY SURVEYOR'S - SECTION CORNER TIES

| SECTION | TOWNSHIP | RANGE | BOOK | PAGE | ELEVATION | UC ZONE | STATE PLANE | COORD | LATITUDE | LONGITUDE |
|---------|----------|-------|------|------|-----------|---------|-------------|-------|----------|-----------|
| 1       | 19N      | 6E    | 13   | 2A   |           | X=      | Y=          |       |          |           |




Chiseled "up" 1' on the East side  
of 18" x 18" Concrete corner post



Tied by: LP: BAW Date: 9/11/95  
 Drawn by: BAW Date: 10/30/95  
 Checked by: \_\_\_\_\_ Date: \_\_\_\_\_

## DESCRIPTION OF MONUMENT

High Point in stone .3' below casting  
.05' below surface of asphalt road



Approved: \_\_\_\_\_ Date: \_\_\_\_\_  
 COUNTY SURVEYOR