

SEC. 11


TWP. 21 N,

R. 6 E.

✓ F.P. CONC
OVER STONE

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
11	21N	6E					X=	Y=	



SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____
 Drawn by: DAN Date: 1-19-93
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
11	21N	6E					X=	Y=	



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: L.P.:C.G. Date: 4/25/95 (1:50 PM)

Drawn by: DAN Date: 4/28/95 (8:30 AM)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

RR Spike, 2" below Surface of asphalt Road

Pk Nail 1' up on the West side of Combination Pole

OK

43.42'

State Road No. 28


38.65'

Pk Nail 3' up on the East side of telephone pole

60.49'

Pk Nail 1' up on the West side of Power Pole

County Road 1750 West



MARKER LOCATION

Approved _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES



SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
11	21N	6E	27	6			X= Y=		



Tied by: L.P. Jy Date: 8-4-97
 Drawn by: K.B Date: 1-12-99
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Rail Road SPIKE
Flush with Asphalt
Road



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
11	21N	6E					X= Y=		

PK in lower pole
with Transformer

Box

If no
stone

516' **PAID**

St. Rd. 28

36.35'

PK in Pole
with Street
Light

76.80'

PK in
lower pole




NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____
 Drawn by: BAN Date: 1-15-93
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
11	21N	6E				X=	Y=		



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: L.P.:C.G. Date: 4/25/95 (1:50 P.M.)

Drawn by: BAN Date: 4/28/95 (8:30 A.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

RR Spike, 2" below Surface of asphalt Road

Pk Nail 1' up on the West Side of Combination Pole

43.42'

State Road No. 28


38.65'

Pk Nail .3' up on the East Side of telephone pole

60.49'

Pk Nail 1' up on the West Side of Power Pole

County Road 1750 West



MARKER LOCATION

Approved _____

Date: _____



COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
11	21N	6E					X= Y=		

NORTH
 SCALE 1" = 40'
 SHEET ___ OF ___ SHEETS
 Tied by: _____ Date: _____
 Drawn by: BAN Date: 1-15-93
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



Approved: _____ Date: _____
 COUNTY SURVEYOR