


SEC. 21, TWP. 18 N, R. 8 E.



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18N	8E	1	15			X= Y=		



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS



Tied by: L.R. : BAN Date: 4/4/95 (2:15 P.M.)

Drawn by: BAN Date: 5/17/95 (3:40 P.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Glass Pin in Concrete Flush with the surface of asphalt Road



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18	8					X= Y=		



Ex. P.K. IN TOP OF
WOODEN GUARD RAIL
POST (S)

Ex. P.K. IN TOP OF
WOODEN GUARD RAIL
POST (S)

Tied by: RW/MC Date: 10/19/04
 Drawn by: RW Date: 10/20/04
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT
Brass Plug 3" Below
Asphalt Road

DRIVE WAY


39.55'

416.98'

Brass Plug

SET P.K.'S IN E. SIDE
OF BOTH P.P.'S

S.R. 109



Approved: _____

Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18N	8E	1	16			X= Y=		

Pk Nail 1.5' up on the South side of Power Pole

State Road No. 109

74.92'

34.57'

138.78'

Pk Nail up 1.5' on the East side of Power Pole

Chiseled "x" in top of Highway Right-of-Way Marker



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: L.P. BAN Date: 4/4/95 (2:25 P.M.)

Drawn by: BAN Date: 5/18/95 (8:25 A.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1/2" Iron Rod 1" below Surface of asphalt Road



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE	COORD	LATITUDE	LONGITUDE
21	18N	8E	1	15				X=		
								Y=		



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS



Tied by: L.R. BAN Date: 4/4/95 (2:15 P.M.)

Drawn by: BAN Date: 5/17/95 (3:40 P.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Brass Pin in Concrete Flush with the surface of asphalt Road



Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21.	18	8				X=	Y=		



P.K. Nail Top
of Wood Ground Rail

P.K. Nail Top
wood Ground Rail

39.51'


46.63'

Driveway

Gravel Drive

Tied by: M.C. - R.W. Date: 9-18-01
 Drawn by: M.C. Date: 9-19-01
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT




Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18N	8E	1	16			X= Y=		

PK Nail 1.5' up on the South side of River Rd



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: L.P. BAN Date: 4/4/95 (2:25 P.M.)

Drawn by: BAN Date: 5/18/95 (8:25 A.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1/2" Iron Rod 1" below Surface of asphalt Road



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18	8					X= Y=		



SET P.K. IN S.W. SIDE OF P.P.

SET P.K. IN W. SIDE OF 3rd WOODEN FENCE POST


EX. P.K. IN S.E. SIDE OF WOODEN FENCE POST

47.08
41.38
30.58

DESCRIPTION OF MONUMENT

1" Iron Pipe in Concrete

Tied by: RW/Me Date: 10/19/04
 Drawn by: RW Date: 10/20/04
 Checked by: _____ Date: _____



Approved: _____

Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18	8					X=	Y=	

SET P.K. IN E. SIDE
OF UTILITY POLE

98.19'

1" Iron Pipe



126.17'


SET P.K. IN E. SIDE
OF P.P.



Tied by: RW/mc Date: 10/19/04
 Drawn by: RW Date: 10/20/04
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron Pipe flush
w/ Asphalt Road




MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18	8					X=	Y=	




EX. P.K. IN N.E. SIDE OF
8x8 WOOD COR. POST.




Tied by: RW/MC Date: 10/19/04
 Drawn by: RW Date: 10/20/04
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT
1" Iron Pipe Set in Concrete



Approved: _____ Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES						
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD
21	18N	8E	1	19		X= Y=
					LATITUDE	LONGITUDE




NORTH
SCALE 1" = 40'

SHEET 1 OF 2 SHEETS

Tied by: L.P. : BAN Date: 4/5/95 (10:40 A.M.)
 Drawn by: BAN Date: 5/18/95 (9:05 A.M.)
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron Pipe in Concrete Flush with surface of asphalt road



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18	8					X= Y=		

 NORTH
 SCALE 1" = 40'
 SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____
 Drawn by: J.S. Date: 7-30-92
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES					
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION
21	18N	8E	1	20	

UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
X=	Y=		

PK Nail up 1' on the Northeast corner of 8"x8" wood corner post

62.38'

83.59'

9.58'

County Road 250 East

PK Nail up 1' on the North side of 8"x8" wood corner post

Shiner up 1' on the East side of 8"x8" wood corner post

NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: L.P.: BAN Date: 4/5/95 (M.S.A.M.)

Drawn by: BAN Date: 5/18/95 (G.I.S.A.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron pipe in concrete flush with surface of asphalt road


MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE	PLANE	COORD	LATITUDE	LONGITUDE
21	18N	8E	1	20		X=			Y=		



NORTH

SCALE 1" = 40'

SHEET ____ OF ____ SHEETS


Tied by: L.P. : BAN Date: 4/5/95 (10:50 A.M.)

Drawn by: BAN Date: 5/18/05 (9:15 A.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron Pipe in concrete flush with surface of asphalt Road



Approved:

Date:

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18	8				X=	Y=		





NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____
 Drawn by: J.S. Date: 7-30-12
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



MARKER LOCATION


Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
21	18N	8E	1	20			X= Y=		

PK Nail up 1' on the Northeast corner of 8"x8" wood corner post



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: L.R. BAN Date: 4/5/95 (M.S.A.N.)

Drawn by: BAN Date: 5/18/95 (G.S.A.N.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron pipe in concrete flush with surface of asphalt road



MARKER LOCATION


Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE	COORD	LATITUDE	LONGITUDE
21	18N	8E	1	19				X = Y =		



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: L.P. : BAN Date: 4/5/95 (10:40 A.M.)

Drawn by: BAN Date: 5/18/95 (9:05 A.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron Pipe in Concrete Flush with surface of asphalt road



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR