


SEC. 32, TWP. 20N, R.8E.



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
32	20	8				X=	Y=		



P.K. NAIL IN. S.E. SIDE
OF POLE

15.68'

200 N.

P.K. NAIL IN.
N. SIDE OF
LIGHT POLE

61.73'

61.05'

P.K. NAIL IN
S.E. SIDE OF
POLE

P.K. NAIL


37.32'

TOP NUT OF
FIRE HYDRANT

DESCRIPTION OF MONUMENT

P.K. NAIL, FLUSH W/ ASPHALT RD
IN WEST BOUND LANE

Tied by: Rw/me Date: 8/25/04
 Drawn by: Rw Date: 8/25/04
 Checked by: _____ Date: _____



Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES



SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
32	20N	8E					X= Y=		



Tied by: BAN:JS Date: 2/19/93
 Drawn by: BAN Date: 1/12/96
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Iron pipe in concrete flush w. top
Surface of asphalt road



Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE	COORD	LATITUDE	LONGITUDE
32	20	8						X=	Y=	



NORTH

SCALE 1" = 40'


SHEET 1 OF 1 SHEETS

Tied by: BAN & JS Date: 7-13-93

Drawn by: J.S. Date: 1-3-94

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT




200E				

MARKER LOCATION

Approved: _____ Date: _____
COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
32	20 N	8 E	15	23			X=	Y=	



Tied by: LP & BN Date: 10-29-96
 Drawn by: LP Date: 6-30-97
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

P.M. nail flush with asphalt
in center of east bound lane



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
32	20	8					X= Y=		



Tied by: RW/me Date: 8/24/04
 Drawn by: RW Date: 8/25/04
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1/2" Iron Pipe Set in Concrete, flush with ASPHALT ROAD



200 N	240 N / BETHANY RD
MARKER LOCATION	

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES								
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD	LATITUDE	LONGITUDE
32	20	8				X=	Y=	



P.K. NAIL IN
E. SIDE OF P.P.

34.42'

344.05'

1/2" I.P. SET
IN CONCRETE
N.W. COR. OF NE 1/4
OF S-19-8

P.K. NAIL
IN N. SIDE
OF P.P.

P.K. NAIL IN
N. SIDE OF P.A.


126.50'

26.05'

1/2" I.P.

DESCRIPTION OF MONUMENT
1/2" Iron Pipe 1" Below
Asphalt Road

Tied by: RW/MC Date: 8/24/04
 Drawn by: RW Date: 8/25/04
 Checked by: _____ Date: _____



Approved: _____ Date: _____
 COUNTY SURVEYOR