

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17N	7E	6	11A		X=	Y=		



SCALE 1" = 40'

SHEET ___ OF ___ SHEETS



Tied by: CG: JB Date: 6/29/95

Drawn by: BHN Date: 8/14/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

PK No. 1 Flush with Surface of asphalt Road



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE	PLANE	COORD	LATITUDE	LONGITUDE
4	17N	7E	6	68		X =		Y =			


NORTH

SHEET ___ OF ___ SHEETS

Drawn by: BAN Date: 8/14/95

Checked by: _____ Date: _____

1" Iron Pipe 3" below surface
of asphalt Road



MARKER LOCATION

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE	COORD	LATITUDE	LONGITUDE
4	17N	7E	6	108		X =		Y =		



PK No. 1 up 1' on the West
Side of 18" diameter Monument

NORTH
SCALE 1" = 40'
SHEET ___ OF ___ SHEETS

Tied by: CE:JB Date: 6/29/95
 Drawn by: BW Date: 8/14/95
 Checked by: _____ Date: _____

Cont Road 1100 South

DESCRIPTION OF MONUMENT
PK No. 1 flush with surface
of asphalt road



Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17N	7E	5	158		X =	Y =		

AK No. 1 up 1' on the North side of River

Chiseled "x" 1' up on the South side of 1' x 1' Concrete post

AK No. 1 up 1' on the East side of River

County Road 1100 South

County Road 400 West

NORTH


SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: CG: JB Date: 6/27/95
 Drawn by: BMM Date: 8/9/95
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Chiseled "x" in stone 1' below 10" hand metal casting flush with surface of asphalt road




Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD	LATITUDE	LONGITUDE
4	17N	7E	6	15A		X=	Y=	



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: CE: JB Date: 6/29/95

Drawn by: BTH Date: 8/14/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Round Iron Bolt flush with surface of asphalt road




MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	17	7				X=	Y=		




 NORTH
 SCALE 1" = 40'
 SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____
 Drawn by: BAN Date: 2-25-92
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	17	7				X =	Y =		

COUNTY SURVEYOR'S - SECTION CORNER TIES

NORTH

SCALE 1" = 40'



SHEET ____ OF ____ SHEETS

Tied by: BAN: DM Date: 4-12-93

Drawn by: BAN Date: 4-15-93

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



MARKER LOCATION


Approved

COUNTY SURVEYOR

Dole:

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD	LATITUDE	LONGITUDE
4	17N	7E	7	1A		X =	Y =	




SHEET ___ OF ___ SHEETS

Tied by: L.P. J.B. Date: 7/7/95
 Drawn by: BAN Date: 8/14/95
 Checked by: _____ Date: _____


DESCRIPTION OF MONUMENT

1/2" Rebar .2' below surface of natural ground

1/2" Iron Pipe in Concrete Flush with Surface of Asphalt Road



MARKER LOCATION



Approved: _____ Date: _____
 COUNTY SURVEYOR

80.00 Set post corner to Sect 31/4-35

Back 12 N 13 215

do 18 S 57 E 27

Post on the south side of Sec 31

2361 A. Back 12 in. diam.

140.00 gr. sec. corner. Back 9 N 23 2111

do 12 S 19 E 116

53.25 A. Back 18 in. diam.

64.75 A. Back 7 1/2 in. diam.

80.00 Set post corner to Sect 33 V 31

Back 18 N 50 E 7

do 19 S 84 N 119

Post on the south side of Sec. 33

7.97 A. Back 18 in. diam.

21.50 A. Post 7 corner side N 48.

140.00 gr. sec. corner. Back 18 N 74 E 3

A. Walnut 20 S. 77 N 23

31.50 A. Hickory 18 in. diam.

80.00 Set post corner to Sect 32 V 33

Back 18 S. 20 N 22

B. Oak 30 N 65 E 39

Post on the south side of Sec. 33

25.50 A. W. Oak 1 1/2 in. diam.

140.00 gr. sec. corner. A. Oak 11 S. 8. 37 N 21

do. 24 S 15 E 19

64.89 A. Back 18 in. diam.

80.00 Set post corner to Sect 31 V 32

Back 12 S 44 E 5

Back 10 N. 89 N 15

Post on the south side of Sec 31

11.71 A. Back 18 in. diam.

SEC. 4, TWP. 17, N. R. 7, E.

