



SEC. 28, TWP. 18 N, R. 8 E.



COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE	COORD	LATITUDE	LONGITUDE
28	18 N	8 E								



 NORTH
 SCALE 1" = 40'
 SHEET ___ OF ___ SHEETS
 Tied by: _____ Date: _____
 Drawn by: L.P. Date: 12-22-94
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



Brass Pin in Concrete below
 PK Nail Set 7/10/95 Flush with
 Surface of asphalt road



Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
28	18	8					X=	Y=	



Tied by: M.C. - R.A. Date: 9-18-01
 Drawn by: M.C. Date: 9-19-01
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Brass Plug in Concrete, Below R.R. Nail
 flush w/Asphalt.



Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
28	18N	8E	1	14			X= Y=		

PK Nail 1' up on the East
Side of Lower Pole

State Road No. 109

PK Nail 1' up on the North
Side of Lower Pole

PK Nail 1.5' up on
the East side of
Lower Pole



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: L.P.:BAN Date: 4/4/95 (2:00 P.M.)

Drawn by: BAN Date: 5/17/95 (3:35 P.M.)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Iron Rod 2" below surface of
asphalt Road



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
28	18N	8E					X= Y=		



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS



Tied by: L.P. & A.L. Date: 12/23/94

Drawn by: BAN Date: 12/30/94 (9:13A.N)

Checked by: ___ Date: ___

DESCRIPTION OF MONUMENT

Railroad Spike flush with
Asphalt pavement



MARKER LOCATION

Approved: _____ Date: _____
COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES					
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION
28	18N	8E	2	1	
			X=	Y=	UC ZONE STATE PLANE COORD
					LATITUDE
					LONGITUDE

NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: L.P.:BAN Date: 4/5/95 (11:05AM)
 Drawn by: BAN Date: 5/18/95 (10:15AM)
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron Pipe in Concrete Flush with Surface of asphalt Road

MARKER LOCATION


Approved: _____ Date: _____

COUNTY SURVEYOR

_____ Date: _____

COUNTY SURVEYOR

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE	PLANE	COORD	LATITUDE	LONGITUDE
28	18N	8E	2	1		X=			Y=		



NORTH

SCALE 1" = 40'

SHEET _____ OF _____ SHEETS


Tied by: L.P. : BAN Date: 4/5/95 (11:05 A.M.)

Drawn by: BAN Date: 5/18/95 (10:15 AM)

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron Pipe in Concrete Flush
With Surface of asphalt Road




MARKER LOCATION

Approved: _____ Date: _____
COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
28	18	8					X=	Y=	



Tied by: M.C. - RAN Date: 9-18-01
 Drawn by: M.C. Date: 9-19-01
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Rail Road Spike Flush w/ Asphalt



Approved: _____ Date: _____
 COUNTY SURVEYOR

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE	PLANE	COORD	LATITUDE	LONGITUDE
28	18	8				X=			Y=		

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE	PLANE	COORD	LATITUDE	LONGITUDE
28	18	8				X=			Y=		



115.55

1.5' up S. Corner
of steel "L" Post

13.16'

St. Col. 38

✓ P.K. Nail up
1 on E. Side
Camber Pole.


Tied by: M.C. - R.W. Date: 9-18-01

Drawn by: M.C. Date: 9-18-01

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Iron Pipe flush w/ Surface
of Asphalt.



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR