


SEC. 10, TWP. 20N, R. 7E.



COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
10	20N	7E				X=	Y=		



NORTH

SCALE 1"= 40'



SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____

Drawn by: J.S. Date: 8-25-93

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT




MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
10	20N	7E				X=	Y=		



Tied by: LP: BAN Date: 11/29/94
Drawn by: BAN Date: 1/19/96
Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

4" diameter steel corner post used in
Survey by LP: BAN on 11/29/94



MARKER LOCATION

Approved: _____ Date: _____
COUNTY SURVEYOR



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
10	20N	7E				X=	Y=		



Tied by: LP: BAN Date: 11/29/94(11:43AM)
 Drawn by: BAN Date: 11/19/96
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT
5/8" Rebar



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
10	20N	7E			George Kirk Drain Elevations 1999 872.94	X =	Y =		





NORTH

SCALE 1" = 40'

Tied by: D.M. & BAN Date: _____
 Drawn by: BAN Date: 7-21-92
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



Approved: _____ Date: _____
 COUNTY SURVEYOR