


SEC.8, TWP. 18 N, R.7 E.



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
8	18	7					X=	Y=	



NORTH

SCALE 1" = 40'



SHEET 1 OF 1 SHEETS

Tied by: J.M. BAN Date: 8-4-92

Drawn by: BAN Date: 9-6-92

Checked by: Date:

DESCRIPTION OF MONUMENT



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE	COORD	LATITUDE	LONGITUDE
8	18N	7E	9	2B				X=	Y=	

131.83'
 113.14'
 1238'

1/4" Nail up 1' on the Southwest corner of frame Barn
 1/4" Nail up 1' on the Southeast corner of frame Barn
 1/4" Nail up 1' on the West Side of 8" Square corner post

County Road 550 South



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: LP: JB Date: 8/2/95

Drawn by: BHJ Date: 8/23/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1/4" Iron Pipe Filled with
 Surface of asphalt Road



MARKER LOCATION

Approved: _____


Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
8	18N	7E	9	2A			X= Y=		

 NORTH
 SCALE 1" = 40'
 SHEET ___ OF ___ SHEETS
 Tied by: LP: JB Date: 8/2/95
 Drawn by: BAN Date: 8/23/95
 Checked by: _____ Date: _____



DESCRIPTION OF MONUMENT

RR Spike flush with surface of asphalt Road



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
8	18	7					X=	Y=	





NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____
 Drawn by: J.S. Date: 9-27-93
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR