

SEC. 34, TWP. 19N, R. 7 E.

SEE 33, 19, 7

SEE 27, 19, 7

casting

T.D. TO CHECK

OK
R.R. SPIKE
OVER STONE
P# 13
67

CONC.
POST

2'

47'

EYE BOLT IN
No. SIDE CONC.
POST

OK
R.R. SPIKE
OVER STONE
P# 13
67

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19N	7E	9	20B			X= Y=		

 NORTH
 SCALE 1" = 40'
 SHEET ___ OF ___ SHEETS
 Tied by: LP: JB Date: 8/7/95
 Drawn by: BHW Date: 8/24/95
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1/2" Iron Pipe in concrete flush with surface of asphalt Road

PK Nail 1' up 1" on the East side of 12" diameter tree




PK Nail 1' up 1" on the East side of 12" diameter tree



50.35'

18.78'

PK Nail 1' up on the Northeast side of Power Pole



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19	7					X=	Y=	



Tied by: Rw/mc Date: 9/24/04
 Drawn by: RW Date: 9/24/04
 Checked by: _____ Date: _____


PK NAIL

DESCRIPTION OF MONUMENT
P.K. NAIL FLUSH W/ ASPHALT RD.
(MAY NOT BE OVER
CORNERSTONE)

PK IN N.SIDE
 OF T.P.

22.90'

300 W



MARKER LOCATION

Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19	7					X=	Y=	



Tied by: RW/MC Date: _____
 Drawn by: RW Date: 9/27/04
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

IRON PIPE IN CONCRETE


I.P.

18.17'

P.K. NAIL IN EAST
SIDE OF P.P.

PENDANTON AVE.

400 S



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19	7					X=	Y=	



Stone 2' Below Casting,
Flush w/ Asphalt Road

Tied by: RW/ME Date: 9/24/04
 Drawn by: RW Date: 9/24/04
 Checked by: _____ Date: _____

6" Bolt on N. SIDE

OF 4' CONCRETE
POST

19.00'


43.20'

P.K. IN N.W. SIDE
OF P.P.

R.R. Spike IN
N. SIDE OF P.P.

P.K. IN W. SIDE
OF P.P.

47.23'



MARKER LOCATION


Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19	7					X=	Y=	




P.K. IN E. SIDE
OF P.P.



Tied by: RW/MC Date: 9/24/04
 Drawn by: RW Date: 9/24/04
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Iron Pipe 2" Below
Surface of Asphalt Road



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19	7					X=	Y=	



Top Nat of
FIRE HYDRANT

P.K. IN EAST SIDE
OF T.P.


Tied by: RW/MC Date: _____
 Drawn by: RW Date: 9/24/04
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Iron Pipe in Concrete
flush w/Asphalt Road

N.W. CORNER
 of 3-18-7
 I.P. 1" Below
 Asphalt Road

I.P.



MARKER LOCATION

Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19N	7E				X=	Y=		



NORTH

SCALE 1" = 40'



SHEET ___ OF ___ SHEETS

Tied by: BAW & JS Date: 7-22-93

Drawn by: J.S. Date: 10-13-93

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



MARKER LOCATION

Approved: _____ Date: _____
COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE	COORD	LATITUDE	LONGITUDE
34	19N	7E	10	1A				X=		Y=

PK Nail 1' up in the Southwest
side of lower Rte



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS



Tied by: LP: JB Date: 8/17/95

Drawn by: BAW Date: 8/20/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

3/4" Iron Pipe in concrete Flush with surface of Asphalt Road



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19	7					X=	Y=	

300 S. (53rd St)



Stone 2' Below Casting

6" Bolt on N. Side of 4' Concrete Post

19.0'

43.20'

P.K. Nail on N.W. Side of P.P.

46.88'

R.R. Spike on N. Side of P.P.

47.23'

P.K. Nail W. Side of P.P.


300 W. (Rock Rd.)

400 S. (

Tied by: M.C. R.W. Date: 5-14-02
 Drawn by: M.C. Date: 5-15-02
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Stone - Below Casting
 2' Below level of Asphalt.



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19N	7E				X= Northing	Y= Easting		
						1947723.28	313029.43		



NORTH

SCALE 1" = 40'



SHEET ___ OF ___ SHEETS

Tied by: Schneider Eng Date: Dec. 4/13/93

Drawn by: BAW Date: 8/15/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



MARKER LOCATION

Approved: _____

Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
34	19N	7E	9	1A			X=	Y=	

At NW 1/4 up 1' on the East side of Power Pole

Shiner 25' up on the Northeast side of Power Pole

County Road 400 South

1 1/4" Iron Pipe
15' below surface
of asphalt Road

County Road 300 West



NORTH

SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: LL: JB Date: 8/2/95

Drawn by: BAD Date: 8/22/95

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

At NW 1/4 3/4" Iron Pipe in concrete
Flush with surface of asphalt Road



Approved: _____

Date: _____

COUNTY SURVEYOR