

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	117	8				X=	Y=		

P.L. NAIL 1' up on
NORTH SIDE OF T.R.

S.E. Corner of
R/W Marker

1" Iron Pipe

"X" IN EAST END OF
CONCRETE RETAINMENT

DRIVEWAY
43.02'


"X" IN EAST END
OF CONCRETE
HEADWALL



DESCRIPTION OF MONUMENT

1" Iron Pipe in Concrete, below
P.L. NAIL SET 7-18-95 FIRST
WITH ASPHALT ROAD

Tied by: RW/ME Date: 5/21/03
Drawn by: RW Date: 5/22/03
Checked by: _____ Date: _____



MARKER LOCATION

Approved: _____

Date: _____

ST. RD 9

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X=	Y=		



DESCRIPTION OF MONUMENT

Railroad Spike Flash with Surface of Asphalt Road

Tied by: AW/MC Date: 5/19/03
 Drawn by: AW Date: 5/22/03
 Checked by: _____ Date: _____




MARKER LOCATION

Approved: _____

Date: _____


COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4.	17	8				X=	Y=		



Tied by: RW/tye Date: 5/19/03
 Drawn by: RW Date: 5/22/03
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

1" Iron Pipe Set in Concrete
 Flush w/ Asphalt Road



Approved: _____

Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	17	8				X=	Y=		



NORTH

DESCRIPTION OF MONUMENT

1/2" Iron Pipe - 5" Below Asphalt Road

Tied by: Rwl/mc Date: 5/19/03
 Drawn by: Rwl Date: 5/22/03
 Checked by: _____ Date: _____

1/2" Iron Pipe


P.K. Nail
2' WEST

P.K. Nail
2' NORTH

P.K. Nail
2' EAST

P.K. Nail
2' SOUTH

* Nothing to Measure to Set 4 P.K. Mark 2 feet from Iron Pipe in all Directions



Approved: _____

Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	19	8				X=	Y=		



1/2" Iron Pipe

250 EAST


P.E. NAIL'S 1' AP
ON WEST SIDE OF
BOTH T.P.'S.

153.77'
184.16'

DESCRIPTION OF MONUMENT

1/2" Iron Pipe - 3" Below
Asphalt Rd. - Approx. 2' West
OF CENTER

Tied by: AW/MC Date: 5/19/03
 Drawn by: AW Date: 5/22/03
 Checked by: _____ Date: _____




MARKER LOCATION

Approved: _____

Date: _____


COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8							
						X=	Y=		



DESCRIPTION OF MONUMENT

Brass Disk Set in Concrete,
flush w/ Asphalt Road


Tied by: RLW/TMC Date: 5/19/03
 Drawn by: RLW Date: 5/22/03
 Checked by: _____ Date: _____



Approved: _____

Date: _____


COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X=	Y=		



DESCRIPTION OF MONUMENT

1/2" Iron Pipe flush w/ Asphalt Road.

(1/4 mile West of 1100 S. + 300 E.)




Approved:

Date:

Tied by: M.C. + R.W. Date: 5-19-03
 Drawn by: M.C. Date: 5-22-03
 Checked by: _____ Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	17	8				X =	Y =		



DESCRIPTION OF MONUMENT

Rail Road Spike flush w/ Asphalt Road.

Tied by: M.A. + R.W. Date: 5-19-03
 Drawn by: M.A. Date: 5-22-03
 Checked by: _____ Date: _____



MARKER LOCATION

Approved: _____


Date: _____

COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X =	Y =		



Tied by: RW/mc Date: 5/19/03
 Drawn by: RW Date: 5/22/03
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT
Brass Disk Set in Concrete
Flush w/Asphalt Road




Approved: _____

Date: _____


COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X=	Y=		



Tied by: M.C. - R.W. Date: 9-14-01
 Drawn by: M.C. Date: 9-19-01
 Checked by: _____ Date: _____


DESCRIPTION OF MONUMENT
Brass Plug in Concrete
Flush w/ Asphalt



Approved: _____ Date: _____
 COUNTY SURVEYOR


COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE	COORD	LATITUDE	LONGITUDE
4	17	8								
							X =	Y =		



DESCRIPTION OF MONUMENT


1" Iron Pipe in Concrete
Below P.K. Nail Set 7-18-95
Flush w/ Asphalt



Approved: _____ Date: _____
COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17N	8E				X=	Y=		




SCALE 1" = 40'

SHEET ___ OF ___ SHEETS

Tied by: B.M. Date: 3-13-92
 Drawn by: L.P. Date: 12-22-94
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Brass Pin in Concrete Flood
with asphalt Pavement



MARKER LOCATION


Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17N	8E							

PK 0.0-0.5' N. Side Comp. Rd.

S.E. Cor. R/W. Mtn.



"X" East end 1'x7' Con. Mtn.

"X" East end 1'x7' Con. Mtn.


NORTH
SCALE 1" = 40'
SHEET ___ OF ___ SHEETS

Tied by: L.P. 194 Date: 12-22-94
Drawn by: L.P. Date: 12-22-94
Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT


1" Iron Pipe in concrete below
PK Nail Set 7/18/95 Flush with
surface of asphalt Road

MARKER LOCATION



Approved: _____ Date: _____
COUNTY SURVEYOR


COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	17	8				X =	Y =		



NORTH
SCALE 1" = 40'
SHEET ___ OF ___ SHEETS

Tied by: _____ Date: _____
Drawn by: BAN Date: 3-13-92
Checked by: BAN/DM Date: 3-31-93

DESCRIPTION OF MONUMENT



Approved: _____ Date: _____
COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X =	Y =	





SCALE 1" = 40'

SHEET 1 OF 2 SHEETS

Tied by: BAN Date: 9/23/94 (2406N)
Drawn by: BAN Date: 9/26/94
Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



Approved: _____ Date: _____
COUNTY SURVEYOR

#6

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	17 N	8 E				X =	Y =		




SCALE 1" = 40'

SHEET ___ OF ___ SHEETS


Tied by: L.P. J.L. Date: 12-22-94
Drawn by: L.P. Date: 12-22-94
Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Rail Road Spike flush
Bass Flag in Con.
SW Cor. Sec. 33, T8N, R8E with asphalt pavement



MARKER LOCATION



Approved: _____ Date: _____
COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X=	Y=		





NORTH
SCALE 1" = 40'

SHEET ___ OF ___ SHEETS



Tied by: BAM:LM Date: 3-31-93
 Drawn by: BAM Date: 3-31-93
 Checked by: _____ Date: _____

DESCRIPTION OF MONTAINT



Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES									
SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
4	17	8				X =	Y =		




SCALE 1" = 40'

SHEET 1 OF 7908 SHEETS

Tied by: BAN:JS Date: 9/23/94 (10:55AM)
 Drawn by: BAN Date: 9/26/94
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT



Approved: _____ Date: _____
 COUNTY SURVEYOR

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X =	Y =		

7	1
---	---


SCALE 1" = 40'

Tried by: BAN:JS Date: 9/23/94 (10:45 A.M.)

Drawn by: BAN - Date: 9/26/94

Checked by: _____ Date: _____

DESCRIPTION OF KONJUMENT




Approved

COUNTY SURVEYOR

Date:

COUNTY SURVEYOR'S - SECTION CORNER TIES


SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
41	17	8				X=	Y=		



Tied by: M.C. - R.W. Date: 9-19-01
 Drawn by: M.C. Date: 9-19-01
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Iron Pipe in Concrete 1' Below asphalt



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES



SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
41	17	8				X =	Y =		



Tied by: M.A. - R.W. Date: 9-14-01
 Drawn by: M.A. Date: 9-19-01
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT


Brass Plug in Concrete
 flush w/ Asphalt.



Approved: _____ Date: _____
 COUNTY SURVEYOR


COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X =	Y =		



Tied by: M.C. R.M. Date: 9-17-01
 Drawn by: M.C. Date: 9-19-01
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT
Railroad Spike in Concrete



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE	STATE PLANE COORD	LATITUDE	LONGITUDE
4	17	8				X=	Y=		

P.K. Nail
In T.P.

64.14'

P.K. Nail in
Wood Corner
Post

15.06'

126.71'

P.K. Nail
In T.P.

15.65'

P.K. Nail in
Wood Fence Post


Co. Rd. 250 E.



Tied by: M.C. Rau Date: 9-17-01
 Drawn by: M.C. Date: 9-19-01
 Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Iron Pipe in Concrete
 Flush w/ Asphalt.



MARKER LOCATION

Approved: _____ Date: _____
 COUNTY SURVEYOR

SEC. 4, TWP. 17, N. R. 8, E.

